



## Zhejiang Huaxin bearing accessories C...

1.188 Inch | 30.175 Millimeter x 0 Inch | 0  
 Millimeter x 1.875 Inch | 47.63 Millimeter  
 TIMKEN LAKHL1 3/16 Pillow Block Bearings



Bearing No. LAKHL1 3/16

LAKHL1 3/16 Bearing 2D drawings and 3D CAD models

|                           |  |
|---------------------------|--|
| Category                  | Pillow Block Bearings  |
| Inventory                 | 0.0  |
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 2.282  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Eccentric Collar   |
| Housing Style             | 2 Bolt Pillow Block  |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Expansion  |
| Relubricatable            | Yes  |
| Insert Part Number        | 1103KLS  |
| Seals                     | Labyrinth  |
| Housing Configuration     | 1 Piece Solid  |
| Inch - Metric             | Inch   |
| Other Features            | Single Row   Spherical   Heavy Duty   With Set Screw   |
| Long Description          | 2 Bolt Pillow Block; 1-3/16" Bore; 1-7/8" Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Labyrinth; Expansion |
| Category                  | Pillow Block   |



## Zhejiang Huaxin bearing accessories C...

|                               |   |
|-------------------------------|---|
| UNSPSC                        | 31171511  |
| Harmonized Tariff Code        | 8483.20.40.40   |
| Noun                          | Bearing   |
| Keyword String                | Pillow Block  |
| Manufacturer URL              | <a href="http://www.timken.com">http://www.timken.com</a> |
| Manufacturer Item Number      | LAKHL1 3/16   |
| Weight / LBS                  | 5.03  |
| D                             | 0 Inch   0 Millimeter                                     |
| d                             | 1.188 Inch   30.175 Millimeter                            |
| Bolt Spacing Minimum          | 0 Inch   0 Millimeter                                     |
| Bolt Spacing Maximum          | 0 Inch   0 Millimeter                                     |
| Nominal Bolt Center to Center | 5 Inch   127 Millimeter                                   |
| Actual Bolt Center to Center  | 5 Inch   127 Millimeter                                   |
| B                             | 1.875 Inch   47.63 Millimeter                             |