




## Zhejiang Huaxin bearing accessories C...

6.438 Inch | 163.525 Millimeter x 2.6250 in x 22.00 in TIMKEN SAF 23036K Pillow Block Bearings



Bearing No. SAF 23036K

SAF 23036K Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	96.25
EAN	0087796217317
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1 Inch
Relubricatable	Yes
Insert Part Number	23036K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row
Long Description	4 Bolt Pillow Block; 6-7/16" Bore; 6-11/16" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 17-3/8" Minimum Bolt



## Zhejiang Huaxin bearing accessories C...

	Spacing; 19-1/4" Bolt Spacing Maximu
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	SAF 23036K
Weight / LBS	212
Bolt Spacing Minimum	17.375 Inch   441.325Millimeter
B	6.688 Inch   169.875 Millimeter
Nominal Bolt Center to Center	18.3 Inch   464.8 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
D	8.75 Inch   222.25 Millimeter
d	6.438 Inch   163.525 Millimeter
Bolt Spacing Maximum	19.25 Inch   488.95Millimeter
Diameter S-1	6 7/16 in
Adapter Assembly Number <sup>1</sup>	SNW-3036 x 6-7/16
Housing Only <sup>2</sup>	SAF036K
A	6.6875 in
B	22.00 in
C	6.250 in
D	2.6250 in
F	3.75 in
H	13.3125 in
Bolt Hole Length	1.9375 in
Bolt Hole Width	1.000 in



## Zhejiang Huaxin bearing accessories C...

E Max.	19.2500 in
E Min.	17.3750 in
Stabilizing Ring 1 Req <sup>d3</sup>	SR-0-26
Triple Seal Req <sup>d</sup>	LOR 148
Assembly Weight	212.0 lb
Bolt Holes	4
Full Timken Part Number	SAF23036K
Seal Type	Triple Ring Seal